EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	25	("3640837" | "4175162" | "4259273" | "4444825" | "4654268" | "4738704" | "4830913" | "5689277" | "5837342" | "6042924").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 09:47
S2	5	("4799745" | "5208080").PN. OR ("6042924").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/26 10:15
S3	21690	glass near5 pane	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:17
S4	1112	intumescent near5 (film layer sheet ply web)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:17
S5	887167	laminating laminated laminate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:18
S6	4	S3 same S4 same S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:18
S7	1119012	laminating laminated laminate sandwiched	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:20

S8	77293	(glass glazing) near5 (panel pane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:20
S9	4078	S5 same S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:21
S10	31	S9 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:21
S11	18	S4 same (overlapping overlapped abutting abutt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:31
S12	4816	intumescent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/21 10:23
S13	939376	laminated laminate laminating lamination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/21 10:23
S14	739	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/21 10:23
S15	255	S12 with S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/21 10:23

S16	74	S15 same glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:24
S17	33	S16 and (pressure and temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:25
S18	31	S17 and (binder adhesive glue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:25
S19	1959258	abut abutted overlapped overlapping overlap abutting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:39
S20	586	S19 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:39
S21	6761330	film sheet ply web	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:41
S22	536626	S21 with edge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:41
S23	42040	S22 same (overlap abut)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:42

S24	28	S23 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:42
S25	19499	fire with protection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 11:07
S26	931	S25 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 11:07
S27	227	S26 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 11:07
S28	799055	lamination laminating laminated lamiante	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 14:13
S29	941613	lamination laminating laminated laminate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 14:13
S30	4826	intumescent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 14:14
S31	742	S29 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 14:14

S32	142	S31 and (overlapping overlapped overlap abutting about)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 14:15
S33	4904	intumescent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/20 13:43
S34	952691	laminated laminating lamination laminate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/20 13:43
S35	8673799	film web ply substrate strip layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/20 13:44
S36	254	S33 same S34 same S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/20 13:44
S37	153	S36 same fire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/20 13:44
S38	6493527	film web sheet ply	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/21 12:23
S39	6848302	film web sheet ply	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 12:23

S40	897	intumescent with S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 12:23
S41	244104	preformed preforming preform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 12:24
S42	25	S40 with S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 12:24
S43	2201471	glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 14:53
S44	4925	intumescent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 14:54
S45	798	S43 same S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 14:54
S46	824660	laminated laminating lamination lamiante	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 14:54
S47	74	S45 same S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 14:54

S48	27	intumescent with (sandwich sandiwiching sandwiched) with glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:13
S49	13	S48 same (laminating laminated laminate laminator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:13
S50	3	S49 and (pressure and temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:13
S51	1513	intumescent with (coating coated coat)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/22 09:20
S52	109	S51 same (laminating laminated laminate laminator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:21
S53	6	S52 same (pressure and temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:21
S54	27	(intumescent intumecence) with (sandwich sandiwiching sandwiched) with glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:23
S55	105	("2813046" | "2912392" | "3202567" | "3320087" | "3466222" | "3672951" | "3733289").PN. OR ("3934066").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/22 09:25

S56	332163	glass near5 (substrate pane panel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:44
S57	23146	S56 same (laminating laminated laminate laminator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:45
S58	17	S57 same intumescent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:46
S59	2164884	glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:52
S60	1360	(coated coating coat) with intumescent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:52
S61	191	S60 same glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:52
S62	53	S61 same (laminated laminating laminator pressure temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:53
S63	953724	laminating laminated laminate lamination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/28 09:10

S64	5333	intumescent intumescence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/28 09:10
S65	267	S63 with S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/28 09:10
S66	183	S65 and glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/28 09:11
S67	105	("2813046" | "2912392" | "3202567" | "3320087" | "3466222" | "3672951" | "3733289").PN. OR ("3934066").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/28 09:13
S68	82	("2130605" | "2503984" | "2647463" | "3029731" | "3121021" | "3257226" | "3265556" | "3360396" | "3407084" | "3426754" | "3467060" | "3523846" | "3565728" | "3607579" | "3645835" | "3677788" | "3691140" | "3861351" | "3897780" | "3934066" | "4024679" | "4054710" | "4112177" | "4163822" | "4165404" | "4202925" | "4219376" |	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/28 09:16

		"4325321" |					
		"4327153" |					
		"4416448" |					
		"4427737" |					
		"4442162" |					
		"4495318" |					
		"4558888" |					
		"4612074" |					
		"4698110" |					
		"4764402" |					
		"4798201" |					
		"4805552" |					
		"4883209" |					
		"4886564" |					
		"4886680" |					
		"4904425" |					
		"4967740" |					
		"4973513" |					
		"5009408" |					
		"5029832" |					
		"5067699" |					
		"5085167" |					
		"Re24906").PN. OR					
		("5487780").URPN.					

7/28/2009 2:13:02 PM
C:\Documents and Settings\jlee12\My Documents\EAST\Workspaces\10560758 method for producing fire protectrion glazing.wsp